Journal of Computational and Applied Mathematics 17 (1987) 379
North-Holland

Author Index to Volume 17 (1987)

(The issue number is given in front of page numbers)

Agarwal, R.P., Existence-uniqueness and iterative methods for third-order boundary value problems (3)271–289
Alaylioglu, A. and **Lubinsky, D.S.**, A product quadrature algorithm by Hermite interpolation (3)237–269

Chawla, M.M., A fourth-order finite difference method based on uniform mesh for singular two-point boundary value problems (3)359–364
Chawla, M.M. and **Rao, P.S.**, An explicit sixth-order method with phase-lag of order eight for $y'' = f(t, y)$ (3)365–368
Cools, R. and **Haegemans, A.**, Construction of fully symmetric cubature formulae of degree $4k - 3$ for fully symmetric planar regions (1,2)173–180
Cuyt, A., The Euler–Minding series for branched continued fractions (3)369–373

de Doncker-Kapenga, E., see **Lyness, J.N.** (1,2)131–149

Engels, H. and **Merschen, B.A.**, Some properties of dual quadrature formulae (1,2) 69– 77

Haegemans, A., see **Cools, R.** (1,2)173–180
Hasegawa, T. and **Torii, T.**, Indefinite integration of oscillatory functions by the Chebyshev series expansion (1,2) 21– 29

Ifantis, E.K., **Siafarikas, P.D.** and **Kouris, C.B.**, Upper bounds for the first zeros of Bessel functions (3)355–358
Iri, M., **Moriguti, S.** and **Takasawa, Y.**, On a certain quadrature formula (1,2) 3– 20

Kahaner, D.K. and **Rechard, O.W.**, TWODQD an adaptive routine for two-dimensional integration (1,2)215–234
Keast, P., Cubature formulas for the surface of the sphere (1,2)151–172
Knopfmacher, A. and **Lubinsky, D.S.**, Mean convergence of Lagrange interpolation for Freud's weights with application to product integration rules (1,2) 79–103
Kouris, C.B., see **Ifantis, E.K.** (3)355–358

Lether, F.G., Quadrature rules for approximating semi-integrals and semiderivatives (1,2)115–129
Lubinsky, D.S., see **Alaylioglu, A.** (3)237–269
Lubinsky, D.S., see **Knopfmacher, A.** (1,2) 79–103
Lyness, J.N. and **de Doncker-Kapenga, E.**, On quadrature error expansions. Part I. (1,2)131–149

Meneguette, M., A note on bordered isoclinical matrices (3)375–377
Merschen, B.A., see **Engels, H.** (1,2) 69– 77
Moriguti, S., see **Iri, M.** (1,2) 3– 20
Mühlbach, G. and **Reimers, L.**, Linear extrapolation by rational functions, exponentials and logarithmic functions (3)329–344

Osborn, T.R., see **Sloan, I.H.** (1,2)181–196

Rabinowitz, P., Numerical integration in the presence of an interior singularity (1,2) 31– 41
Rabinowitz, P., On the convergence of closed interpolatory integration rules based on the zeroes of Gegenbauer polynomials (1,2) 43– 46
Rao, P.S., see **Chawla, M.M.** (3)365–368
Rechard, O.W., see **Kahaner, D.K.** (1,2)215–234
Reimers, L., see **Mühlbach, G.** (3)329–344
Rodrigues Cadete, M.O., A note on piecewise blending function interpolation applied to networks of curves in $\mathbb{R}^3$ (3)291–298
Rokne, J.G., Rational circular complex centered forms (3)309–327

Siafarikas, P.D., see **Ifantis, E.K.** (3)355–358
Sidi, A., Extrapolation methods for divergent oscillatory infinite integrals that are defined in the sense of summability (1,2)105–114
Sloan, I.H. and **Osborn, T.R.**, Multiple integration over bounded and unbounded regions (1,2)181–196
Snyman, I.M., A variational method applied to a linear hyperbolic initial boundary value problem (3)345–354
Sugihara, M., Methods of numerical integration of oscillatory functions by the DE-formula with the Richardson extrapolation (1,2) 47– 68
Sugihara, M., Method of good matrices for multidimensional numerical integrations – An extension of the method of good lattice points (1,2)197–213

Takasawa, Y., see **Iri, M.** (1,2) 3– 20
Tirmizi, S.I.A., see **Twizell, E.H.** (3)299–307
Torii, T., see **Hasegawa, T.** (1,2) 21– 29
Twizell, E.H., and **Tirmizi, S.I.A.**, Multiderivative methods for non-linear second-order boundary value problems (3)299–307

0377-0427/87/$3.50 © 1987, Elsevier Science Publishers B.V. (North-Holland)